


Our associates will ensure the tool works properly before you leave the store. If you experience issues with the tool while completing your project, simply bring it back to the Tool Rental Center to get a replacement. If you purchase Damage Protection at the time of your rental, you are not responsible for repair costs for tools that break due to normal use.



FORK EXTENSIONS



Get more fork under bulky and awkward loads with a Star Industries fork extension. Install or remove in just seconds.

- Perfect for bulky loads.
- Extend your fork length to 72".
- One operator can install or remove extensions in seconds.

5 REASONS STAR FORKS ARE BETTER

- 1 No shortcuts.**
All forks are forged from a single piece of steel, then fully heat-treated, quenched and tempered for a minimum yield strength of 825 Mpa.
- 2 Certified production methods.**
Welding processes are certified in accordance with ISO 3834-2.
- 3 Rigorous testing.**
Fork heels and welds are subjected to full MPI crack-testing on all welds and the heel area by certificated operatives.
- 4 Full part traceability.**
Each fork is stamped with manufacturer's identification, specified capacity and load centre, week of manufacture and production works order number.
- 5 Standards-compliance.**
All forks are guaranteed to meet or exceed the requirements of the national and (such as ISO2328 and ISO2330 and ANSI ITSDF B56.11.4) with regards to mounting details, load-, fatigue- and impact-tests.




4101 Garland Drive Fort Worth TX 76117
Phone | 817-485-6073 Fax | 817-428-6008
USA & Canada Toll Free 800-541-1797

www.starindustries.com
Operating Manual and Safety
Information available online.

PRODUCT OPTIONS

FEATURES

- Overall length of fork extension must not exceed 150% of fork length.
- Inside width of fork extension must not be more than ½" wider than fork.
- Forklift capacity is substantially reduced when center of load is moved out beyond standard 2 ft. load center.
- Do not pick up load with tip of fork extensions.
- Load must be centered on fork extensions or closer to the backstop.



SPECIFICATIONS

Model	Overall length	Fits Forks	Weight per set
1664	72"	4" x 48"	120 lbs
1665	72"	5" x 48"	140 lbs
1666	72"	6" x 48"	160 lbs



4101 Garland Drive Fort Worth TX 76117
Phone | 817-485-6073 Fax | 817-428-6008
USA & Canada Toll Free 800-541-1797

www.starindustries.com
Operating Manual and Safety
Information available online.

Things you need to know about fork extensions

Overall length of fork extension must not exceed 150% of fork length.

Inside width of fork extension must not be more than $\frac{1}{2}$ " wider than fork.

Forklift capacity is substantially reduced when center of load is moved out beyond standard 2 ft. load center.

Do not pick up load with tip of fork extensions.

Load must be centered on fork extensions or closer to the backstop.